

QubuHealth queenbourrows@qubuhealth.com 772-224-565

-	III LUSS PIUGIA	<u> </u>		
Name:	Date of Birth:_	A	ge:	Sex: Female Male
Address:	City:	Si	ate:	Zip:
Phone:	Work Phone:	Er	nail:	
Emergency Contact Name:		_ Emergency Con	tact Pho	ne <u>:</u>
How did you hear Social	Media:	Referral:		
about this clinic?Intern	et Search Billboard/Ad	Other:		
What are your main motiva	ting factors for wanting to lose	weight?		
☐ Alcohol Intake ☐ Comfo☐ Busy Lifestyle ☐ Excess	ontribute to having excess wei rt Foods Hormone Changes s Snacking Increased Stress History Low Energy/Fatig	s Medical C Perimenor	ondition ause	Sedentary LifestyleSweetened Beverages
What foods do you crave th	e most and how often do you e	at these foods?		
	any of the following potential of the following potential of the following potential of the following many of the following potential of the following poten		-	
How long has weight been a	n issue?	What is you	ır ideal	weight?
Are you currently at your h	eaviest weight? Yes No	If no: Heaviest	Weight:	
1-Do you have known aller Adhesives Benzyl Ald	gies/sensitivities to: ohol B Vitamin Formulations	GLP-1 Receptor	Agonist	s Latex L-Carnitin
2-Have you ever fainted du	uring injections or blood draw	s? Yes No		
	verse reaction or significant see in line item 1 or marked yes to ite			
Do you take antidiabetics?	Yes No If yes, please list: _			
Do you take blood pressure	e medication? Yes No			
-	ns that may cause increased r	_	-	_

Female Medical History:				
Are you currently: Pre	gnant Trying to conc	eive Breastf	eeding Post	-Menopause
Birth Abstinence Control: Birth Control F		☐ IUD ☐ Menopause	Nexplanon NuvaRing	Tubal Ligation Vasectomy
Other (Please Explain): _				
Date of Last Menses:	Pregnan	cies:	Live	Births:
Male Medical History:				
Vasectomy? Yes No	Trying To Conce	ive? Yes N	10	
General Medical History:				
Have you or a family member Medullary Thyroid Carcin	_		Indocrine Neoplas	ia syndrome type 2 (MEN2)
Have you ever been diagno				,,
Adrenal Fatigue/Issues Anemia/Blood Disorders Asthma Autoimmune Disorder Blood Clotting Disorder Cancer Chemical Dependence	Congestive Heart Failu Diabetes Depression Digestive Issues Gallbladder Disease Eating Disorder Heart Disease/Arrhythi	High Block High Cho Immune I Intestina Kidney D Liver Dis	Deficiency I Issues isease/Stones	Neurological Disorder Pancreas Disease Poor Wound Healing Retinopathy Stroke/TIAs Thyroid Disease Ulcers (Gastric)
Do you have any other med If yes, please describe issue here:	dical issues not listed ab	oove?	No	
Date of last blood work:		Date	of last physica	l:
Describe any abnormal res	sults:			
Do you consume alcohol? If yes, please list number of o		-	noke? Yes ase describe how	No often and how much you smo
Do you exercise regularly? If yes, please describe activit		:		
If there is anything else y	ou'd like the Provider to	know, please le	et us know here:	

Patient Name:		_ DOB:	Date:
Medication Record			
Please list all medications, over	the counter drugs, and he	rbal suppleme	nts you are currently taking.
			nt therapy medications/implants.
Medication or Supplement	Frequency	Dose	Purpose/Prescribed For
			+
		-	
		 	
		†	1
Allergies & Sensitivities Do you have any allergies or sens	sitivities to foods medicat	one implante	etc? Yes No
If yes, please list all allergens and ho		ons, implants,	
Surgical History			
	ceived acute medical care,	including surg	eries, in the past year? \square Yes \square N
If yes, please describe here:			
Primary Care Physician:		Phone: _	
List all surgical procedures you h	nave had with approximate	dates:	
. ,			
I affirm the information I have a marriage			
	my knowledge. I acknolwedge t	hatQubu Health a	and Management Staff are not responsible
for any errors that may occur as a res			
Patient Name (Print)	 Patient Signature		
rationt Name (Fillit)	ratient Signature		Date



Informed Consent Instructions: This is an informed consent document to provide written information about the

QubuHealth queenbourrows@qubuhealth.com 772-224-565

Consent To Treatment: GIP and/or GLP-1 RA Weight Loss Injections

Name:		/	/	_ Date:	/	/
,using Tirzepatide (GIP/GLP-1 RA)/Pyridoxine (B						
Treatment benefits will vary by individual, but magdurations after eating (delayed gastric emptying), a loss. Additional therapeutic benefits related to weig reduced risk of adverse cardiovascular events.	y include: reduced and increased fat-b	appetite urning r	e, feeling mechanis	a sense of t	fullness f nay result	or longer t in weight

Purpose of Treatment and General Information:

What is Tirzepatide Weight Management Treatment: Tirzepatide weight management injections are used for weight loss along with a diet and exercise plan. These injections are delivered beneath the surface of the skin (subcutaneously) for chronic weight management in adults with obesity (BMI >30) or who are overweight (BMI >27) with at least one weight-related condition, including high blood pressure, diabetes type 2, and/or high cholesterol. Tirzepatide mimics both GIP and GLP-1 receptor agonist hormones, which trigger insulin creation, sensation of fullness, and appetite reduction. Additional treatment benefits associated with these weight loss injections may include: improved A1C and blood sugar levels by increasing insulin (a hormone that lowers blood sugar levels) and inhibiting glucagon (a hormone that raises blood sugar); improved blood pressure; reduced risk of major adverse cardiovascular events.

What To Expect During Treatment: Your treatment provider will begin with a consultation that includes blood draws to check lab values and will review your health and medication history to ensure you are a good candidate for weight loss injections. You will be counseled on nutrition and exercise recommendations to be used along with Tirzepatide injections for chronic weight management, including reducing calories and increasing physical activity. You will be taught how to perform these injections at home just below the surface of the skin (subcutaneously) and will be prescribed a dosage that is adjusted for your individual needs, in accordance with your treatment plan. There is no downtime associated with this treatment. You may feel minor discomfort during the injection, similar to an insulin injection. Common side effects include: nausea, vomiting, diarrhea, indigestion, abdominal pain, constipation, fatigue, and dizziness. Multiple injections will be needed over the course of months to achieve desired results.

What to Expect, continued:

Dosing adjustments will be made by your treatment provider based on your body's response and any side effects you're experiencing. **Treatment Regimen:** Typical treatment regimen includes an initial series of weekly injections for 90 days, including follow-up and lab work. You will return to the office for follow-up visits and dose adjustments until you've reached your weight loss goals. **Maintenance:** Once you have achieved your weight loss goal, you may be weaned down to lower dosing Tirzepatide at specified intervals and/or given a maintenance protocol. **Maintenance injections** may be necessary to maintain desired results.

I understand the treatment goal is weight loss. I understand that repeated injections will be necessary in order to achieve desired results and that I will need to maintain regular follow-ups with my treatment provider.

Initials:

Treatment Benefits:

Tirzepatide/Pyridoxine injection benefits may include:

Weight reduction and/or weight management

Improved blood sugar

Reduced risk of adverse cardiovascular events related to obesity

I understand the possible benefits of this weight management treatment.

Initials:	
-----------	--

Possible Risks and Side Effects:

Possible side effects/risks of Tirzepatide/Pyridoxine Weight Management Treatment may include:

- **1. General Side Effects:** I understand there is a risk of discomfort, pinpoint bleeding, pain at the injection site, bruising, allergic reaction, damage to deeper structures, or gastrointestinal side effects that may occur.
- **2. Gastrointestinal Upset:** The most common side effects of treatment include: Nausea, vomiting, diarrhea, constipation, indigestion, belching, feeling bloated, and abdominal pain. Slow titration of dosing adjustments may help prevent these side effects, or dosing adjustments may be required if side effects persist. Your treatment provider can provide you with medications and/or recommendations to help alleviate these side effects, including suggesting eating slowly, eating bland foods, avoiding greasy foods, and avoiding lying down immediately after eating.
- **3. Fatigue, Dizziness, and Headache:** Some patients experience fatigue, dizziness, and/or headache, which may be a result of low blood sugar. If you experience these symptoms, please discuss this with your treatment provider.
- **4. Low Blood Sugar:** There is an increased risk of low blood sugar (hypoglycemia), especially in patients with type 2 diabetes taking medications such as insulin or sulfonylureas. Symptoms may include: dizziness, headache, lightheadedness, rapid heartbeat, mood changes, irritability, weakness, shakiness, slurred speech, confusion, or hunger. Talk to your healthcare provider about how to recognize and treat low blood sugar. If you have diabetes type 2, you should check your blood sugar as directed.
- **5. Increased Heart Rate:** You may experience an increased heart rate while at rest. Please contact your treatment provider if you experience your heart racing or if you feel a pounding sensation in your chest that lasts for several minutes or longer.
- **6. Allergic Reaction or Hypersensitivity:** Although rare, allergic reactions or serious hypersensitivity may occur. Signs of allergic reaction may include: hives, difficulty breathing, swelling of your face, lips, tongue, or throat; additional treatment may be necessary should an allergic reaction occur.
- **7. Runny Nose and Sore Throat:** Common side effects include a runny nose and sore throat. Tell your treatment provider if these symptoms persist or become bothersome.

Patient Name (Print)	_	Date	
Continued on next page	PAGE 2 OF 6		

Possible Risks and Side Effects, continued:

8.Bleeding/Bruising/Redness: It is possible to experience minor pinpoint bleeding during and after injection. Bruising in soft tissues may occur, as well as minor redness or swelling. 9.Infection: Although rare, if an infection occurs as a result of treatment at injection site, additional treatment including antibiotics or an additional procedure may be necessary. 10.Pancreatitis: Inflammation of the pancreas (pancreatitis) may occur. If you experience persistent severe pain in your stomach, with or without vomiting, please contact your treatment provider right away. 11.Gallbladder Inflammation and/or Gallstones: You may experience gallbladder issues, including gallstones. Signs/symptoms of gallbladder inflammation and/or gallstones include: pain in your upper stomach, vellowing of skin and/or eyes, clay-colored stools. and fever. Please contact your treatment provider right away if you experience these symptoms. Some gallbladder issues may required additional treatment incurred at your expense, and which may include surgical intervention and/or hospitalization. 12.Gastrointestinal Blockage or Disease: Although rare, there is a risk of stomach blockage (known as a an ileus) resulting from decreased intestinal movement of food and fluids. Symptoms include persistent, unrelieved constipation, stomach cramping and swelling, loss of appetite, inability to pass gas, and vomiting. An ileus can be serious and life threatening if left untreated; treatment may include hospitalization and/or surgery incurred at your expense. 13.Dehydration and Acute Kidney Injury and/or Renal Impairment: There is a potential risk for dehydration leading to acute kidney injury and/or worsening renal impairment due to adverse gastrointestinal reactions (nausea, vomiting, diarrhea). It is important to drink adequate fluids to help reduce your risk of dehydration, which may cause kidney impairment. 14.Thyroid C-cell Tumors: There is a potential risk for thyroid C-cell tumors when taking Tirzepatide. Please report any signs/symptoms of thyroid tumors to your treatment provider, including: persistent hoarseness, shortness of breath, mass in neck, and/or difficulty swallowing. 15. Changes in Vision: Patients with diabetic retinopathy may experience changes in vision while taking Tirzepatide. This may be caused by a rapid improvement in glucose control, which could lead to temporary worsening of retinopathy, however, the effect of long-term glycemic control on diabetic retinopathy has not yet been studied. Please report any changes in vision to your treatment provider.

This list is not exhaustive of all possible risks associated with Tirzepatide/Pyridoxine weight management treatment, as there are both known- and unknown- side effects and risks associated with any medication or treatment.

Tirzerpatide injections are contraindicated in those who:

- · are pregnant or are breastfeeding
- have ever had Medullary Thyroid Cancer (MTC) (this includes a family history of MTC)
- have Multiple Endocrine Neoplasia Syndrome type 2 (MEN 2)
- have ever had a serious allergic reaction to Tirzerpatide or any of the ingredients in Tirzepatide, including compound formulations, which may include: vitamin b12 and/or vitamin b6

Please tell your treatment provider if you have any other medical conditions, including the following, as Tirzepatide injections may not be suitable for you:

- plan to become pregnant (you should stop Tirzepatide 2 months prior to pregnancy)
- have, or have had, problems with your pancreas or kidneys
- have type 1 diabetes, type 2 diabetes, or a history of diabetic retinopathy

Patient Name (Print)		Date	
Continued on next page	PAGE 3 OF 6		

Medical Conditions, continued:

- are taking certain medications, including: sulfonylureas or insulin
- have, or have had, depression, mental health issues, and/or suicidal thoughts

I have read and understand the contraindications to treatment and affirm that I do not have any of the aforementioned conditions and have disclosed pertinent medical history to my treatment provider:

Initials:

Possible Medication Interactions	s and/or Reduced Effectiveness		
herbal products, medications, a treatment and/or additional side	ation, Herbal and Nutritional Suppl and supplements may affect the way e effects. Tirzepatide slows stomach may affect the way certain medication	Tirzepatide works, resultir emptying and can affect a	g in reduced efficacy of bsorption of oral
The district the district, which h	may arrest the way contain meancaile.		o or moundationer
I have read and understand pos	ssibility of interactions with treatment	Initials:	
treatment. I waive any claim in I	verse Effects verse effects that may result from the law or equity for a redress of any grie that claim pertains to the negligent ac	evance that I may have co	ncerning- or resulting
I agree to assume full liability fo	or any adverse effects of treatment.	Initials:	
safety of the use of Tirzepatide	regnant at this time. I understand tha during pregnancy and breastfeeding regnancy test prior to my treatmen rior to becoming pregnant.	has not been studied. If I	am unsure of
·	regnant at this time and acknowledge	e risk of harm to unborn ch	nild while taking
	nitials:		g
Tirzepatide/Pyridoxine injection other- treatments may be neces management, and must be mate to maintain desired weight. As a	be possible to achieve desired weight his may fail to produce any reduction i ssary. Tirzepatide/Pyridoxine injec aintained with lifestyle and diet modifi a weight management treatment, it is if results is unknown and not guara	n weight. Should complications are not a permaner cations; you may also requirecommended to allow a	ntions occur, additional- or nt solution for weight uire maintenance injections
I have read and understand res	sults are not guaranteed. Initials:		
modifications, increased physical Every procedure will involve a comparison of the risk to the po	al and surgical treatment consist of: Neal activity, other pharmaceutical weigoertain amount of risk. An individual's otential benefit. Although most patien and potential risks with your treatmen	ght management therapies s choice to undergo a proc ts do not experience adve	s, and bariatric surgery. edure is based on the rse complications, you

Patient Name (Print)	Date

It has been explained to me that alternative treatments are available. Initials:

Financial Responsibility:

By signing below, I acknowledge that I understand the regular charge applies to all treatments. I understand- and agree- that all services rendered to me are charged directly to me and that I am personally responsible for payment. I acknowledge that most insurances do not cover the cost of weight loss injection treatment, and therefore, I am required to pay for services and medication out of pocket. In the event that I am not satisfied with my results, I agree not to seek a refund for Tirzepatide treatment services rendered, as I am fully aware that there is no implied or explicit guarantee of results, as stated in the acknowledgement above. I further agree in the event of non-payment and/or reversal of payment via a credit card dispute that I initiate, I will bear the cost of collection fees, and/or court fees, and/or any reasonable legal fees resulting from such instance.

Tirzepatide (GIP/GLP-1 RA)/Pyridoxine (B6) Weight Management Treatment Consent:

By signing below, I acknowledge and agree:

- I have fully disclosed on my client intake form and during face-to-face consultation with treatment provider any and all medications, previous complications, planned or previous surgeries, sensitivities, allergies, or current conditions that may, or may not, affect my treatment.
- I have read the foregoing informed consent for Tirzepatide/Pyroxidine Weight Management Treatment; I agree to the treatment and all known and unknown associated risks.
- I have received and will follow all aftercare instructions.
- I acknowledge that no guarantee has been given by anyone as to the results that may be obtained.
- For women of childbearing age: by signing below I confirm that I am <u>not pregnant</u> and do not intend to become pregnant anytime during the course of this treatment and that I am not breastfeeding. Furthermore, I agree to keep my treatment provider informed should I become pregnant during the course of this treatment.
- It has been explained to me in a way that I understand:
 - There may be alternative procedures or methods or treatments.
 - There are risks, known and unknown, to the procedure or treatment proposed.
- I have had ample opportunity to ask any questions regarding Tirzepatide Weight Management Treatment benefits, side effects and after care, and all of my questions have been answered to my satisfaction. I believe I have adequate knowledge to understand the nature and risk of the treatment to which I am consenting.



QubuHealth queenbourrows@qubuhealth.com 772-224-565

CLIENT ACKNOWLEDGEMENT AND LIABILITY RELEASE

<u>Treatment Liability Waiver</u>

By signing below, I acknowledge and agree:

I acknowledge that elective supplementation therapies, including, but not limited to Tirzepatide/Pyroxidine Weight Management Treatment, may be considered medically unnecessary. It may or may not mitigate, alleviate, or cure the condition for which it has been prescribed. This treatment has been recommended to me in the belief that it is of potential benefit and its use will quite probably improve the condition for which I am under treatment for. Based on the risks and potential benefits of this proposed treatment, I have elected to receive this proposed treatment by providers and staff at Qubu Health and Management.

I understand that I may suspend or terminate my treatment at anytime by informing my medical provider. I assume full liability for any adverse effects that may result from the non-negligent administration of the proposed treatment. I waive any claim in law or equity for redress of any grievance that I may have concerning or resulting from the procedure, except as that claim pertains to negligent administration of this procedure. The risks involved and the possibilities of complications have been explained to me. I fully understand and confirm that the nature and purpose of the aforementioned treatment to be provided may be considered unproven by scientific testing and peer-reviewed publications and therefore may be considered medically unnecessary or not currently indicated.

Therefore, in consideration for any treatment received, I agree to unconditionally defend, hold harmless and release from any and all liability the company and the individual that provided my treatment, the insured, and any additional insured's, as well as any officers, directors, or employees of the above companies for any condition or result, known or unknown, that may arise as a consequence of any treatment that I receive.

I understand and agree that any legal action of any kind related to any treatment I receive will be limited to binding arbitration using a single arbitrator agreed to by both parties.

atient Name (Print)	Patient Signature	Date
3 3 7 3		
ortant legal rights by signin		, , , , , , , , , , , , , , , , , , , ,
ive carefully read the inform	nation on this page and understand t	that I may be giving up some